





# ENVIROTECH SYSTEMS PVT. LTD.



## OUR DOORS


- Metal Acoustic Door
- Wooden Acoustic Door
- Metal Fire Doors
- Wooden Fire Doors
- Glazed Fire Door
- Hollow Metal Door
- Fire Sliding Steel Door
- Acoustic Sliding Doors
- Clean Room Door
- Fire Rated Window
- Fire Curtain
- Acoustic Window
- Fire Glass (Pyroguard)



## CONTACT

+91 9999104828  
vivek@esplonline.com

[www.envirotechdoors.com](http://www.envirotechdoors.com)



## Contents

- 3.** Metal Acoustic Door
- 4.** Wooden Acoustic Door
- 5.** Metal Fire Door
- 6.** Wooden Fire Door
- 7.** Glazed Fire Door
- 8.** Hollow metal Door
- 9.** Acoustic Sliding Door
- 10.** Clean Room Door
- 11.** Fire Rated Window
- 12.** Acoustic Window
- 13.** Fire Glass (Pyroguard)
- 14.** Fire Curtain
- 15.** Some of Our Prestigious Clients
- 16.** Product Gallery
- 17.** Contact details

# Metal Acoustic Door



Envirotech Systems is a leading manufacturer of Metal Acoustic Doors in India. Metal Acoustic Doors are essential whenever high sound reduction performance is required between noise-sensitive areas.

## Specifications:

### DOOR TYPE

Metal Acoustic Door

### DOOR FRAME

100x50 or customize

### SHUTTER THICKNESS

60mm & 85mm or customize

### DOOR SIZE

900x2100, 1800x2100, 900x2000, 1800x2000mm or customize.

### INFILL MATERIAL

Sound Proof Insulation material

### ACOUSTIC PERFORMANCE

36 STC & 44 STC

### TESTED FROM

National Physical Laboratory

## Optional Hardware:

SOUND PROOF VISION GLASS

DROP-DOWN SEAL

DOOR CLOSURE

## Applications:

ENGINE TEST CELL ROOM

AUDITORIUM ACOUSTICS

DJ ROOM ACOUSTICS

AUDIOMETRIC ROOM

CONFERENCE ROOM

RADIO & TV BROADCAST STUDIOS

## Finish:

POWDER COATING IN THE DESIRED SHADE.

## Hardware accessories:

EPDM GASKET

DOOR HANDLE

PRESSURE LOCK

SS BALL BEARING HINGES

SOUND PROOF GLASS

Click To Chat



# Wooden Acoustic Door



Envirotech Systems is a leading manufacturer of Wooden Acoustic Doors in India. Wooden Acoustic Doors are essential whenever high sound reduction performance is required between noise-sensitive areas.

## Specifications:

### DOOR TYPE

Wooden Acoustic Door

### DOOR FRAME

110 x 100mm & 150 x 125mm

### SHUTTER THICKNESS

60mm & 86mm or customize

### DOOR SIZE

900x2100, 1800x2100, 900x2000, 1800x2000mm or customize.

### INFILL MATERIAL

Soundproof Insulation material

### ACOUSTIC PERFORMANCE

37 STC & 45 STC

### TESTED FROM

National Physical Laboratory

## Optional Hardware:

DROP-DOWN SEAL  
DOOR CLOSER

## Applications:

AUDITORIUM  
DJ ROOM  
AUDIOMETRIC ROOM  
CONFERENCE ROOM  
RADIO & TV BROADCAST STUDIOS

## Finish:

MICA, LAMINATE AND VENEER


## Hardware accessories:

EPDM GASKET  
DOOR HANDLE  
MORTISE DEADLOCK SET WITH CYLINDER  
HINGES  
TOWER / FLUSH BOLT

Click To Chat



# Metal Fire Door



Envirotech Metal Fire Door offers all the benefits of standard Metal Fire Door, but with the additional bonuses of fire-resistant metal doors.

## Specifications:

### DOOR TYPE

Metal Fire Door

### DOOR FRAME

100x57mm & 143x57mm

### SHUTTER THICKNESS

46 mm

### FIRE RATING

120min

### TESTING STANDARDS

Bs 476 Part 20-22, IS 3614 Part 2

### INFILL MATERIAL

Fire Rated Insulation material

### TESTED FROM

QMC govt Lab / Haryana

## Optional Hardware:

DROP-DOWN SEAL

DOOR HANDLE

TOWER / FLUSH BOLT

## Applications:

SHOPPING MALLS

ELECTRICAL & LV SHAFTS

PLUMBING & FIRE FIGHTING SHAFTS

LIFT MACHINE ROOM

PUMP AND METER ROOM

## Finish:

POWDER COATING IN THE DESIRED SHADE.

## Hardware accessories:

SMOKE SEALS

MORTISE DEADLOCK SET WITH CYLINDER

HINGES

DOOR CLOSER – FIRE RATED

PANIC BAR

Click To Chat



# Wooden Fire Door



Envirotech are involved in the manufacturing and supply of premium quality wooden fire doors which are installed in buildings to used as part of a passive fire protection system to reduce the spread of fire and smoke between separate compartments.

## Specifications:

### DOOR TYPE

Wooden Fire Door

### FIRE RATING

60mins/ 120 mins

### SHUTTER THICKNESS

50 mm / 55 mm

### FRAME SIZE

120mm x 70 mm - for 60 mins

140mm x 70 mm - for 120 mins

### INFILL MATERIAL

Fire proof material

### TESTING STANDARDS

BS 476 Part 20-22, IS 3614 Part 2

### TESTED FROM

QMC govt Lab / Haryana

## Optional Hardware:

DOOR HANDLE

DROP-DOWN SEAL

## Applications:

HOME THEATRE

AUDITORIUM ACOUSTICS

DJ ROOM ACOUSTICS

AUDIOMETRIC ROOM

CONFERENCE ROOM

RADIO & TV BROADCAST STUDIOS

## Finish:

MICA, LAMINATE AND VENEER

## Hardware accessories:

SMOKE SEALS

PANIC BAR

SS BALL BEARING HINGES

MORTISE DEADLOCK SET WITH CYLINDER

DOOR CLOSER – FIRE RATED

Click To Chat



# Glazed Fire Door



Envirotech Glazed Fire Door restrict the spread of fire and smoke, they remain clear and transparent during the entire fire thereby allowing fire fighters clear options to rescue endangered lives.

## Specifications:

### DOOR TYPE

Glazed Fire Door

### DOOR FRAME

143 X 57 X 1.60 mm or customize

### SHUTTER THICKNESS

50 X 1.60 mm or customize

### DOOR SIZE

120mm x 70 mm for 60 mins  
/ 140mm x 70 mm – for 120 mins

### TESTING STANDARDS

BS 476 Part 20-22, IS 3614 Part 2

### INFILL MATERIAL

Mineral Wood Insulation

### VISION GLASS

Fire Rated Clear Vision Glass with 2 hours fire rating

### TESTED FROM

QMC govt Lab / Haryana

## Optional Hardware:

DROP-DOWN SEAL

## Applications:

BUILDING ENTRANCES  
LIFT LOBBIES  
SERVER ROOMS  
CORRIDORS

## Finish:

AS PER CLIENT REQUIREMENT.

## Hardware accessories:

FIRE SEALS

DOOR HANDLE

LOCK

SS BALL BEARING HINGES

DOOR CLOSER – FIRE RATED

[Click To Chat](#)



# Hollow Metal Door



Envirotech Hollow metal doors are one of the most common types of doors used in commercial and industrial environments. A hollow metal door is composed of a steel frame that has steel panels laminated to both sides.

## Specifications:

### DOOR TYPE

Hollow Metal Door

### SHUTTER THICKNESS

44/46 mm or customize

### FRAME SIZE

100x57 Single Rebate 143x57 Double Rebate / 1.2mm

### INFILL MATERIAL

Honey Comb

## Applications:

INDUSRTIAL  
COMMERCIAL COMPLEX  
RESIDENTIAL

## Hardware accessories:

DOOR HANDLE

LOCK

SS BALL BEARING HINGES

DOOR CLOSER

VISION GLASS

## Finish:

POWDER COATING IN DESIRED RAL SHADE

POLYURETHANE COATING IN DESIRED RAL SHADE CODE

SELECTIVE WOOD GRAIN FINISHED AVAILABLE



# Acoustic Sliding Door



We are one of the leading organizations engaged in trading, exporting, manufacturing, and supplying excellent quality Acoustic Sliding Doors, wooden sliding door designs which are manufactured by using high-grade material. Acoustic sliding door manufacturer in India. These Acoustic Sliding Doors are widely appreciated by our clients which are situated all around the nation.

## Specifications:

### DOOR TYPE

Acoustic Sliding Door

### DOOR FRAME

100x50 or customize

### SHUTTER THICKNESS

50mm, 80mm or customize

### DOOR SIZE

900x2100, 1800x2100, or customize

### INFILL MATERIAL

Sound Proof Insulation material

### ACOUSTIC PERFORMANCE

44 STC

### TESTED FROM

National Physical Laboratory

## Applications:

RESIDENTIAL  
OFFICE  
HOTEL  
PARKING

## Finish:

POWDER COATING IN DESIRED RAL SHADE

## Hardware accessories:

EPDM GASKET

DOOR HANDLE

LOCK

THERMAL FUSIBLE LINK SMOKE DETECTOR

Click To Chat



# Clean room Door



We are the Leading Manufacturer and Supplier of Clean Room Fire Doors. The Cleanroom door is exposed to intense cleaning every day with a variety of strong chemicals to assure high levels of hygiene. Made from Galvanized and Stainless Steel, these flush doors are compact, stable, and strong.

## Specifications:

### DOOR TYPE

Clean Room Door

### DOOR FRAME

143 X 57 X 1.2 mm or customize

### SHUTTER THICKNESS

42mm or customize

### DOOR SIZE

900x2100, 1800x2100, or customize

### INFILL MATERIAL

Honey Comb / Puff

### TESTED FROM

National Physical Laboratory

## Optional Hardware:

DROP-DOWN SEAL

VISION GLASS

## Applications:

HOSPITAL

FOOD AND PHARMA BASED INDUSTRIES

PHARMACEUTICAL

AUDIOMETRIC ROOM

COMPUTER SERVICE ROOM

R&D RESEARCH LABS

## Finish:

POWDER-COATED ANY RAL COLOR AS REQUIRED

## Hardware accessories:

MORTISE DEADLOCK SET WITH CYLINDER

DOOR HANDLE

DOOR CLOSER

SS BALL BEARING HINGES

[Click To Chat](#)



# FIRE RATED WINDOW



Envirotech is the manufacturer and supplier of Fire rated windows in India. A Fire Rated Windows are an assembly that has proven to offer a certain degree of protection from fire

## Specifications:

**WINDOW TYPE**  
Fire Rated Window

**WINDOW FRAME**  
143 X 57 X 1.60 mm or customize

**WINDOW SIZE**  
900x2100, 1800x2100, or customize

**GLASS THICKNESS**  
11mm & 13mm Pyroguard make

**FIRE RATING**  
60min & 120min

**TESTED FROM**  
QMC Govt laboratory Haryana

## Applications:

INDUSRTIAL  
COMMERCIAL COMPLEX  
RESIDENTIAL

## Hardware accessories:

SMOKE SEAL  
HANDLE  
LOCK  
HINGES

## Finish:

POWDER COATING IN DESIRED RAL SHADE CODE

[Click To Chat](#)



# ACOUSTIC WINDOW



ENVIROTECH MAKE Acoustic Window that offers sound reduction up to 40dB. Acoustic window glass having 2 or 3 nos. toughened glass with argon gas filled in between that offers high sound reduction. Acoustic windows are fitted with Acoustic seals and silicon sealing for best performance.

## Specifications:

### WINDOW TYPE

Acoustic Window Fix Type

### WINDOW FRAME

100 x 50 mm or customize

### INFILL MATERIAL

Sound Proof Insulation material

### WINDOW SIZE

900x2100, 1800x2100, or customize

### GLASS THICKNESS

23mm & 27mm

### ACOUSTIC PERFORMANCE

43 STC

### TESTED FROM

QMC Govt laboratory Haryana

## Applications:

INDUSTRIAL  
COMMERCIAL COMPLEX  
RESIDENTIAL

## Hardware accessories:

ACOUSTIC SEALS

FASTENER

## Finish:

POWDER COATING IN DESIRED RAL SHADE  
CODE

Click To Chat



# Fire Glass (Pyroguard)



Fire rated Glass by Pyroguard offers a wide range of fire glass to suit your requirements and budget. Fire Glass provide protection from fire, flames, and smoke.

## Specifications:

### GLASS TYPE

Fire Glass (pyroguard)

### FIRE RATING

120 min

### VISION GLASS SIZE

200 x 300 mm , 300 x 300 mm

### GLASS THICKNESS


11 mm, 13 mm

### SOUND REDUCTION

of  $\geq 37$ dB and LT of 86%

### CERTIFICATION FROM

NABL accredited lab



## Applications:


BUILDING

FIRE CORRIDORS

RESTAURANTS

INTERNAL PARTITIONS

REFURBISHMENT GLAZING



[Click To Chat](#)



# Fire Curtain



Providing and fixing of “ENVIROTECH” Automatic fire Curtain The Fire Curtain is an automatic, fire protective barrier that prevents fire and smoke from transferring from one part of a building to another. The Fire Protective Curtain is a vertical deploying opening protective, ideal to replace fire doors and protect atriums and lobbies.

## Specifications:

### CURTAIN TYPES

Fire Curtains

### PRODUCT STANDARDS

BS 8524-1, BS EN 1634-1, UL 10D

### STANDARDS

BS - British, EN - European

### ORIENTATIONS

Vertical

### INTEGRITY RATINGS

240 mins

### RADIATION RATINGS

30 mins



## Applications:

ATRIUM, LOBBIES AND RECEPTIONS  
OPENINGS IN WALLS  
EGRESS AND CORRIDOR SEPARATION  
BOUNDARY PROTECTION  
COMPARTMENTATION  
STAIRS AND ESCALATORS

[Click To Chat](#)



## SOME OF OUR PRESTIGIOUS CLIENTS

- HONDA SIEL POWER PRODUCTS LTD., GRATER NOIDA & RUDRAPUR
- MARUTI SUZUKI INDIA LTD, GURGAON
- ABB LIMITED, VADODARA, GUJARAT
- ALSTOM PROJECTS PVT. LTD., VADODARA
- LG ELECTRONICS INDIA LTD., GR. NOIDA
- HINDUSTAN UNILEVER LIMITED, RAJPURA (PB)
- BHARAT RASAYAN LIMITED, ROHTAK (HR)
- AKSH OPTIC FIBER LIMITED, BHIWARI (RAJ)
- DENSO INDIA LTD., GR. NOIDA
- INDIAN METALS & FERRO ALLOYS LTD., JAJPUR (ORISSA)
- ATLAS STEEL TUBES LTD., BAWAL, (HR)
- PEPSI CO. INDIA HOLDINGS LTD, BANGALORE, BHARUCH, ROHA
- HAVEL'S INDIA LTD., NOIDA
- MOTHER SON SUMI SYSTEMS LTD, NOIDA
- J P ASSOCIATES LTD., SHIMLA
- OSRAM LTD, SEAMENS GROUP, SONIPAT (HR)
- SUPREME INDUSTRIES LIMITED, CHOPANKI & LONAWALA
- FIAMM MINDA AUTOMOTIVE LTD, GURGAON
- LARSON & TURBO LIMITED, KOLKATA
- SHREE CEMENT LIMITED, AJMER, RAJASTHAN
- NIPPON LTD, NOIDA, GURGAON
- PARADISE PLASTICS ENTP. LTD., NOIDA (UP)
- ASIAN PAINTS LTD., GR. NOIDA, ANKLESWAR, MUMBAI, HYDERABAD
- LUPIN LIMITED MANDEEP, BHOPAL (MP)
- ALL INDIA INSTITUTE OF SPEECH & HEARING, MYSORE, MYSORE
- INDIAN STEEL CORPORATION LTD., INDORE
- VARROC ENGINEERING PVT. LTD., TALEGAON
- HILTI INDIA PVT. LTD., NEW DELHI
- BOSCH LIMITED, KOLHAPUR
- INDIAN HERBS RESEARCH & SUPPLY CO. LTD, SAHARANPUR
- MANDO INDIA STEERING SYSTEMS PVT. LTD., CHENNAI
- EVEREADY LTD., BANGALORE
- OIL INDIA LIMITED, ASSAM
- COLGATE - PALMOLIVE LIMITED, BADDI ( HP)
- GENERAL ELECTRIC(GE), VADODARA
- HITACHI, MEHSANA, GUJRAT
- SHAPOORJI, AHMEDABAD
- THAI EMBASSY, NEW DELHI
- COMM SCOPE, GOA
- FUJITA, GURUGRAM
- PRASAR BHARTI, NEW DELHI
- JUBILENT LITE, GAJRAULA, UP
- SABIC, VADODARA
- IIT, ROORKEE
- INDIAN OIL CORPORATION, WEST BENGAL
- VANASTHALI VIDYAPITH, JAIPUR
- TELCO CONSTRUCTION EQUIPMENT'S CO. LTD
- GRAZIANO TRANSMISSION INDIA LTD., NOIDA
- ASIA MOTOR WORKS LTD, BHUJ (GUJARAT)
- MITSUBISHI ELECTRIC AUTOMATIC INDIA PVT. LTD. GURGAON (HARYANA)
- SOBORS AUTO AIR-CONDITIONING LTD., GURGAON (HR), PUNE (MS)
- UNITED TELECOMS LTD, BANGALORE
- BHARTI INFRACTED LTD (AIRTEL), ASSAM, J&K
- STUDIO ON VENTURES PVT. LTD., GURGAON
- AMBER ENTERPRISES (INDIA) PVT. LTD., DEHRADUN
- AMITY INDIA, NOIDA (U.P.)
- AMBIENCE INTERIORS PVT. LTD., GURGAON
- SUZUKI MOTOR CYCLE INDIA LIMITED, GURGAON
- ERICSSON CANADA INC., MISSISSAUGA, ONTARIO
- SIEMENS LTD- MOTORS KALWA, THANE
- TRACTORS AND FARM EQUIPMENTS LTD (TAFE), CHENNAI
- INGERSOLL RAND LTD., GZB. , AHMEDABAD
- BHABHA ATOMIC RESEARCH CENTRE, MUMBAI
- BARCO ELECTRONIC SYSTEMS PVT. LTD, NOIDA
- ARIHANT ELECTRICALS – OKHLA
- L&T – IICC DWARKA PROJECT
- ANAND SHAKTI INNOVATION, KUNDALI
- LG ELECTRONICS INDIA PVT. LTD. PUNE

**ENVIROTECH IS WORKING WITH 250+ CLIENTS**

Click To Chat



[www.envirotechdoors.com](http://www.envirotechdoors.com)

# Product Gallery



Click To Chat



## CONTACT DETAILS

### EMAIL

vivek@esplonline.com

info@esplonline.com

### MOBILE



+91 9999104828



+91 9311011131



### WEB

[www.envirotechdoors.com](http://www.envirotechdoors.com)

# Envirotech Systems Pvt. Ltd.

B-1A/19, 1st Floor Commercial Complex, Sector-51, Noida, India-201301

Phones - 0120-4337633, 4337439